

## Rohrkappe

DIN EN 10253-4 (DIN 2617),


AD 2000-W2/W10, HP 7/3-HP 8/3

Tube cap

DIN EN 10253-4 (DIN 2617)

AD 2000-W2/W10, HP 7/3-HP 8/3

Abm./Dim.	L mm	Kg/Stk/pc	EN 1.4571
			Artikel-Nr. Article-No.
21,30 x 1,60	13,00	0,012	● 36135
26,90 x 1,60	21,30	0,017	● 36136
33,70 x 2,00	23,00	0,031	● 36137
42,40 x 2,00	24,50	0,048	● 36138
48,30 x 2,00	25,50	0,053	● 36139
60,30 x 2,00	33,00	0,076	● 36140
76,10 x 2,30	36,00	0,151	● 36141
88,90 x 2,30	39,50	0,184	● 36142
114,30 x 2,60	44,30	0,300	● 36132
139,70 x 2,60	49,50	0,460	● 36133
168,30 x 2,60	55,00	0,710	● 36134



## Klörperboden

DIN 28011

Torispherical head

DIN 28011


Abm./Dim.	L mm	Kg/Stk/pc	EN 1.4571
			Artikel-Nr. Article-No.
21,30 x 2,00	15,00	0,015	● 31086
26,90 x 2,00	17,00	0,220	● 31087
33,70 x 3,00	20,00	0,470	● 31088
42,40 x 3,00	21,00	0,720	● 31089
48,30 x 3,00	22,00	0,870	● 31090
54,00 x 2,00	21,00	0,067	● 31091
60,30 x 3,00	25,00	0,130	● 31092
76,10 x 3,00	27,00	0,196	● 31093
84,00 x 2,00	28,00	0,015	● 31094



Klörperboden  
DIN 28011

Torispherical head  
DIN 28011

Abm./Dim.	L mm	Kg/Stk/pc	EN 1.4571
			Artikel-Nr. Article-No.
88,90 x 3,00	39,00	0,310	● 31095
104,00 x 2,00	36,00	0,024	● 31096
108,00 x 3,00	43,00	0,045	● 31097
114,30 x 3,00	44,00	0,480	● 31098
129,00 x 2,00	42,00	0,037	● 31099
139,70 x 3,00	49,00	0,670	● 31100
154,00 x 2,00	51,00	0,438	● 31101
159,00 x 3,00	54,00	0,850	● 31102
168,30 x 3,00	54,00	0,900	● 31103
204,00 x 2,00	61,00	0,880	● 31104
219,10 x 3,00	64,00	1,480	● 31106
254,00 x 2,00	70,00	1,320	● 31107
256,00 x 3,00	71,00	1,980	● 31108
273,00 x 3,00	74,00	2,180	● 31109
323,90 x 3,00	84,00	2,870	● 31111
355,60 x 3,00	87,00	3,400	● 31112
406,40 x 3,00	100,00	4,430	● 31113
508,00 x 4,00	120,00	9,400	● 31776
609,60 x 4,00	135,00	13,000	● 31926



## Klörperboden

DIN 28011 (EN 13445), AD2000-W2/W10,


HP 7/3-HP 8/3, DIN 2609/VdTÜV 1252

Torispherical head

DIN 28011 (EN 13445), AD2000-W2/W10,

HP 7/3-HP 8/3, DIN 2609/VdTÜV 1252

Abm./Dim.	L mm	Kg/Stk/pc	EN 1.4571
			Artikel-Nr. Article-No.
21,30 x 2,00	13,00	0,015	● 35654
26,90 x 2,00	21,30	0,022	● 35658
33,70 x 3,00	23,00	0,031	● 35661
42,40 x 3,00	24,50	0,072	● 35664
48,30 x 3,00	25,50	0,087	● 35666
60,30 x 3,00	33,00	0,130	● 35669
76,10 x 3,00	36,00	0,196	● 35673
88,90 x 3,00	39,50	0,310	● 35676
114,30 x 3,00	44,30	0,480	● 35646
139,70 x 3,00	49,50	0,670	● 35649
168,30 x 3,00	55,00	0,900	● 35651
168,30 x 4,00	55,00	1,190	● 35652
219,10 x 3,00	64,60	1,480	● 35655
219,10 x 4,00	64,60	2,900	● 35657



## Klörperboden

mit reduziertem Rohranschlussmaß, PAS 1057-11, DIN 28011 (EN 13445),

AD 2000-W2/W10, HP 7/3-HP 8/3, DIN 2609/VdTÜV 1252

Torispherical head

with reduces pipe connection dimension, PAS 1057-11, DIN 28011 (EN 13445),

AD 2000-W2/W10, HP 7/3-HP8/3, DIN 2609/VdTÜV 1252

Abm./Dim.	L mm	s mm	Kg/Stk/pc	EN 1.4541	1.4571
				Artikel-Nr. Article-No.	Artikel-Nr. Article-No.
33,70 x 3,00	23,00	2,00	0,310	● 35662	● 35663
42,40 x 3,00	24,50	2,60	0,720	● 35665	
48,30 x 3,00	25,50	2,60	0,870	● 35667	● 35668
60,30 x 3,00	33,00	2,90	0,130	● 35670	● 35671
60,30 x 4,00	33,00	3,60	0,180	● 761204	● 35672
76,10 x 5,00	36,00	5,00	0,330	● 35674	● 35675
88,90 x 5,00	39,50	4,00	0,520	● 35677	● 35678
114,30 x 4,00	44,30	4,00	0,640	● 35647	● 35648
139,70 x 4,00	49,50	2,60	0,890	● 35650	● 761220
168,30 x 4,00	55,00	4,00	1,190	● 35653	
219,10 x 3,00	64,60	2,90	1,480	● 35656	
273,00 x 4,00	75,00	3,20	2,460	● 35659	● 761223
323,90 x 5,00	89,00	3,60	3,650	● 35660	● 761224

